

Overview

HPE SimpliVity 380 Gen10

HPE SimpliVity 380, based on the HPE ProLiant DL380 Gen10 Servers, is a compact, scalable, 2U rack-mounted building block that delivers integrated server, storage, and storage networking services. Adaptable for diverse virtualized workloads, the secure 2U HPE SimpliVity 380 Gen10 delivers world-class performance with the right balance of expandability and scalability. It also provides a complete set of advanced functionality that enables dramatic improvements to the efficiency, management, protection, and performance—at a fraction of the cost and complexity of today’s traditional infrastructure stack.



HPE SimpliVity 380 Gen10

What's New

- HPE SimpliVity now offers support for VMware ESXi 7.0 deployments and upgrades along with many exciting new software features in its latest software release.
- HPE Cloud Volumes Backup support
- HPE StoreOnce integration enhancements
- Container Storage Interface (CSI) Plugin 1.0
- HPE SimpliVity 380 G now offers support for Read Intensive 24 SSD drive kits for 32TB
- HPE SimpliVity 380 G x24 SSD 1P and 2P 32TB Software Licenses

Notes: For VMware and HW compatibility and software details, please visit:

<https://www.hpe.com/info/simplivity-interop-doc> or [HPE Support Center portal](#)

<https://support.hpe.com/hpsc/public/km/search?q=Simplivity&t=DriversandSoftware&sort=%40hpscuniversaldate%20descending&layout=table>

Standard Features

Scalable and Configurable

- Expandable in 1 node increments up to 96 total nodes
- Processor - Choice of Intel® Xeon® Scalable Processors
- Memory - 128GB to 3072GB (Per node depending on configuration)
- Network – 10/25Gb, 1Gb
- Power – Redundant
- Virtualization Software and Licensing
- All in a compact 2U form factor

Notes:

- It is strongly recommended that an HPE SimpliVity 380 Gen10 cluster have a minimum of two nodes to realize the full benefits of the high availability hyperconverged solution.
 - A single cluster supports up to 16 nodes. A single federation supports up to 96 nodes. See product documentation for details.
-

Software Features

- VMware vSphere
- HPE SimpliVity management plugin for VMware vCenter
- HPE Cloud Volumes Backup support
- HPE StoreOnce Integration
- Optional Data Encryption support
- Optional RapidDR support- HPE SimpliVity RapidDR is targeted to address SMB and Edge IT generalist persona DR orchestration needs with stringent SLAs around Recovery Point Objectives (RPOs) and Recovery Time Objectives (RTOs)

Notes:

- For RapidDR information, please see the HPE SimpliVity RapidDR Data Sheet and QuickSpecs
 - o Data Sheet: <https://h20195.www2.hpe.com/v2/getdocument.aspx?docname=a00021678enw>
 - o QuickSpecs: <https://h20195.www2.hpe.com/v2/getdocument.aspx?docname=a00018755enw>
 - HPE SimpliVity 380 supports VMware vSphere & vCenter 6.5, 6.7 and 7.0
 - For VMware and HW compatibility, please see the HPE SimpliVity OmniStack Interoperability Guide <https://www.hpe.com/info/simplivity-interop-doc> or [HPE Support Center portal](#)
-

Hardware Availability Features

- Cluster expansion without downtime
 - Hot-pluggable SSD
 - Redundant power supplies
 - Integrated storage controller with battery-backed cache
 - HPE ProLiant Integrated Lights-Out Advanced (iLO) 5 Remote Management
-

Services

- HPE Pointnext full suite of support offerings (Foundation Care, Proactive Care and Datacenter Care).
- Remote support technology to provide 24x7 secure remote support

Notes: For the best support experience, HPE Pointnext Installation Services and 24x7x365 support recommended.



Standard Features

Features

HPE SimpliVity 380 Gen10	
Node Size	2U
Processors	2x Intel® Xeon® Scalable Processors 8 to 28 cores selectable, 1 or 2CPU options
Memory	144GB to 3072GB per node selectable
Storage	Two All Flash Storage Options (4000/6000 Series) and Five Capacity Points: Extra Small - 5 x 960GB SSD Kit Small - 5 x 1.92TB SSD Kit Medium - 9x 1.92TB SSD Kit Large - 12 x 1.92TB SSD Kit Extra Large – 12 x 3.84TB SSD Kit (4000 Series only)
Network Ports	Ethernet 1Gb LOM embedded, 10Gb FLOM
Power Supplies	HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Titanium Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 1600W FS Platinum Hot Plug LH Power Supply Kit
Hardware Warranty	Server Warranty includes 3-Year Parts, 3-Year Labor, 3-Year Onsite support with next business day response
Hardware Support	3-year HPE SimpliVity 380 Gen10 solution support (required)

Notes:

- Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for replacement.
- Two power supplies per node are required for redundancy. 800W power supplies are only supported with specific configurations.

HPE SimpliVity 380 Gen10 G (Networking Choice (NC) Models)

Node Size	2U
Processors	2x Intel® Xeon® Scalable Processors 8 to 28 cores selectable, 1 or 2CPU options
Memory	128GB to 3072GB per node selectable
Storage	Two All Flash Storage Options (RI/MU) Five Capacity Options: 6 x 1.92TB SSD Kit – 7.5TB (usable) 8 x 1.92TB SSD Kit – 10TB (usable) 12 x 1.92TB SSD Kit- 15TB (usable) 16 x 1.92TB SSD Kit- 20TB (usable) 24 x 1.92TB SSD Kit- 32TB (usable)
Network Ports	10Gb FLOM Notes: Networking Choice (NC) models do not include an embedded NIC, additional options available via stand-up card NIC adapters to better suit customer needs
Power Supplies	HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Titanium Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 1600W FS Platinum Hot Plug LH Power Supply Kit
Hardware Warranty	Server Warranty includes 3-Year Parts, 3-Year Labor, 3-Year Onsite support with next business day response
Hardware Support	3-year HPE SimpliVity 380 Gen10 solution support (required)

Notes:

- Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for replacement.



Standard Features

- Two power supplies per node are required for redundancy. 800W power supplies are only supported with specific configurations.
- Network Choice (NC) models do not include an Ethernet 1Gb LOM embedded NIC. A pre-selected FlexibleLOM is included in the configuration with additional options available via stand-up card NIC adapters.

HPE SimpliVity 380 Gen10 G

Node Size	2U
Processors	2x Intel® Xeon® Scalable Processors 8 to 28 cores selectable, 1 or 2CPU options
Memory	128GB to 3072GB per node selectable
Storage	Two All Flash Storage Options (RI/MU) Five Capacity Options: 6 x 1.92TB SSD Kit – 7.5TB (usable) 8 x 1.92TB SSD Kit – 10TB (usable) 12 x 1.92TB SSD Kit- 15TB (usable) 16 x 1.92TB SSD Kit- 20TB (usable) 24 x 1.92TB SSD Kit- 32TB (usable)
Network Ports	Ethernet 1Gb LOM embedded, 10Gb FLOM
Power Supplies	HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Titanium Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 1600W FS Platinum Hot Plug LH Power Supply Kit
Hardware Warranty	Server Warranty includes 3-Year Parts, 3-Year Labor, 3-Year Onsite support with next business day response
Hardware Support	3-year HPE SimpliVity 380 Gen10 solution support (required)

Notes:

- Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for replacement.
- Two power supplies per node are required for redundancy. 800W power supplies are only supported with specific configurations.

HPE SimpliVity 380 Gen10 H (Networking Choice (NC) Models)

Node Size	2U LFF 2U SFF
Processors	2x Intel® Xeon® Scalable Processors 8 to 28 cores selectable, 1 or 2CPU options
Memory	192GB to 3072GB per node selectable
Storage	LFF Backup and Archive: 4 x 1.92TB SSD, 8 x 4.0TB HDD Kit – 25TB (usable) SFF General Purpose Virtualization: 4x 1.92TB, 20 x 1.2TB HDD- 20TB (usable)
Network Ports	10Gb FLOM Notes: Networking Choice (NC) models do not include an embedded NIC, additional options available via stand-up card NIC adapters to better suit customer needs
Power Supplies	HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Titanium Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 1600W FS Platinum Hot Plug LH Power Supply Kit
Hardware Warranty	Server Warranty includes 3-Year Parts, 3-Year Labor, 3-Year Onsite support with next business day response
Hardware Support	3-year HPE SimpliVity 380 Gen10 solution support (required)

Notes:

- Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for replacement.



Standard Features

- Two power supplies per node are required for redundancy. 800W power supplies are only supported with specific configurations.
- Network Choice (NC) models do not include an Ethernet 1Gb LOM embedded NIC. A pre-selected FlexibleLOM is included in the configuration with additional options available via stand-up card NIC adapters.

HPE SimpliVity 380 Gen10 H	
Node Size	2U LFF 2U SFF
Processors	2x Intel® Xeon® Scalable Processors 8 to 28 cores selectable, 1 or 2CPU options
Memory	192GB to 3072GB per node selectable
Storage	LFF Backup and Archive: 4 x 1.92TB SSD, 8 x 4.0TB HDD Kit – 25TB (usable) SFF General Purpose Virtualization: 4x 1.92TB, 20 x 1.2TB HDD- 20TB (usable)
Network Ports	Ethernet 1Gb LOM embedded, 10Gb FLOM
Power Supplies	HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Titanium Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 1600W FS Platinum Hot Plug LH Power Supply Kit
Hardware Warranty	Server Warranty includes 3-Year Parts, 3-Year Labor, 3-Year Onsite support with next business day response
Hardware Support	3-year HPE SimpliVity 380 Gen10 solution support (required)

Notes:

- Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for replacement.
- Two power supplies per node are required for redundancy. 800W power supplies are only supported with specific configurations.

Benefits

HPE InfoSight for HPE SimpliVity enables predictive data analytics

For HPE SimpliVity nodes HPE InfoSight provides system details at the federation, cluster, and host level for historic capacity utilization, trends, resource consumption and prediction. Alleviates support issues and reduces operational expenses with automated wellness alerts and case creation. Provides a unified view of HPE SimpliVity assets such as Datastore, VM, Backups, Capacity, and IOPS.

Fully integrated system

Combines x86 resources, storage, and storage networking in a single hyperconverged system. Simplifies management and delivers great cost efficiency and agility with increased visibility and control.

Peak and predictable performance

The all-flash solution provides predictable and linear performance at near-wire speeds with reduced latency. Hardware-assisted inline deduplication, compression, and optimization helps minimize I/O and network traffic, improving performance while delivering great storage and bandwidth efficiency.

Scale in and scale out

Easily expand or shrink configurations as your needs change. Each node supports a large number of fully protected virtual machines (VMs), with the networked collection of nodes at both local and remote sites managed as a single entity.

VM centricity and mobility

Enables all actions, policies, and management at the VM level. Global unified management and integration with established administrative systems streamline operations and improve IT agility.



Standard Features

Dramatic TCO reduction

Drastically reduce the need to purchase multiple discrete components, optimize storage capacity with guaranteed 10:1 data efficiency, and prevent over-provisioning for performance and capacity with on-demand expansion.

Cloud backup

HPE SimpliVity with **HPE Cloud Volumes Backup** enables simple, efficient, flexible backup directly to the cloud from data center or multiple, on-premises edge sites

Secondary, centralized backup

HPE SimpliVity with HPE StoreOnce protects data center and distributed edge sites by easily and efficiently replicating applications and data directly to a centralized HPE StoreOnce appliance for compliance and long-term retention requirements

Software Overview

Pre-integrated software

- HPE SimpliVity Startup Wizard

Virtualization Platform Software and Licenses

- HPE SimpliVity 380 Gen10 supports VMware vSphere ESXi.
- VMware vSphere installation is performed by HPE when ordering HPE SimpliVity 380 Gen10
- Valid licenses for the following VMware software components are available when ordering HPE SimpliVity 380 Gen10
 - (1 or 2) VMware vSphere license(s) per node depending on CPU count
 - (1) VMware vCenter license

Notes:

- HPE SimpliVity 380 supports VMware vSphere & vCenter 6.5, 6.7 and 7.0
- For VMware and HW compatibility, please visit **HPE Support Center portal** or <https://www.hpe.com/info/simplivity-interop-doc>
- HPE SimpliVity 380 Gen10 for VMware vSphere requires valid VMware vSphere, and vCenter licenses. VMware licenses can only be removed from the order if it is confirmed that the end-customer has valid licenses in place (Enterprise License Agreement (ELA), vCloud Air Partner or unused Enterprise Purchasing Program tokens).
- Purchasing VMware licenses from Hewlett Packard Enterprise allows Hewlett Packard Enterprise to be the single point of contact for the entire solution, inclusive of the virtualization software, and is recommended.

Management

- HPE InfoSight
- VMware vCenter
- HPE SimpliVity management plugin for VMware vCenter

Notes:

- The HPE SimpliVity 380 supports VMware vCenter 6.5, 6.7 and 7.0
 - For VMware and HW compatibility, please visit **HPE Support Center portal** or <https://www.hpe.com/info/simplivity-interop-doc>
-



Service and Support

HPE Proactive Care for HPE SimpliVity (choose the response level that meets your needs)

HPE Proactive Care for HPE SimpliVity was designed to help meet your support needs effectively and efficiently. Receive all the benefits of HPE Proactive Care (details are below) plus access specific self-serve tools, usage support, predictive notifications, and technical expertise that will give you control to manage your HPE SimpliVity solution and keep it reliable, stable, and at peak performance. Use the HPE SimpliVity forums with committed response time to answer questions or for questions where you where want community feedback. Access how to videos, best practices from support experts to address common challenges, or find out about beneficial hints and tips. Ask HPE SimpliVity solution operational questions with HPE Proactive Care for HPE SimpliVity.

HPE Proactive Care gives customers an enhanced call experience. When your products are connected to HPE, Proactive Care helps prevent problems and maintains IT stability by utilizing personalized proactive reports with recommendations and advice. HPE Proactive Care is available in 3, 4, and 5 year terms with a choice of response levels: Next Business day (NBD), 24x7 with a 4 hour response, and 24x7 with 6 hour call to repair (CTR). This Service combines both reactive support when there is a problem with an enhanced call experience and start to finish case management with proactive reporting and advice. This service also includes collaborative software support for Independent Software Vendors (ISVs), (Red Hat, VMWare, Microsoft, etc.).

Notes: Services for customers purchasing from Hewlett Packard Enterprise or an enterprise reseller are quoted using Hewlett Packard Enterprise order configuration tools.

HPE Foundation Care – (choose the response level that meets your needs)

HPE Foundation Care helps when there is a problem and is available in 3, 4, and 5 year terms with a choice of response levels: Next Business day (NBD), 24x7 with a 4 hour response, and 24x7 with 6 hour call to repair (CTR). Note that Call-To-Repair Service connects you to HPE 24 hours a day, seven days a week for assistance on resolving issues -this includes our highest level commitment to repair hardware within six hours after opening your case and respond to software questions within two hours. In addition, Collaborative software support is included and provides troubleshooting assistance on industry leading software running on your server. Simplify your support experience and make HPE your first call to help resolve hardware or software problems.

<https://www.hpe.com/h20195/V2/GetDocument.aspx?docname=4AA4-8876ENW&cc=us&lc=en>

Other Related Services

HPE Server Hardware Installation

Provides for the basic hardware installation of HPE branded servers, storage devices and networking options to assist you in bringing your new hardware into operation in a timely and professional manner.

HPE Installation and Startup Service

Provides for the installation of your HPE hardware according to product specifications including options. The HPE service delivery technician will connect the product to a LAN as appropriate and enable remote support to allow for automatic case creation for hardware failures. Installation and start up services also includes the installation of one supported operating system type (Windows® or Linux)

HPE Service Credits

Offers flexible services and technical skills to meet your IT demands as your business evolves. With a menu of services, you can access additional resources and specialist skills to help you maintain peak performance of your IT. HPE Service Credits help you proactively respond to your dynamic IT and business needs.

HPE Education Services

Provides comprehensive training designed to expand the skills of your IT staff and keep them up to speed with the latest technologies.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

Parts and Materials

Hewlett Packard Enterprise will provide HPE-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product QuickSpecs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

The defective media retention service feature option applies only to Disk or eligible SSD/Flash Drives replaced by Hewlett Packard Enterprise due to malfunction.



Configuration Information

HPE SimpliVity 380 Gen10: Overview for New System

Use the following steps to order a new SimpliVity 380 Gen10 system: processors, memory, storage, networking, power, other optional HW

Step 1: Begin with the base node

Step 2: Select the hardware options to add to the base node:

Step 3: The software license that corresponds to the node configuration will be automatically added

Step 4: Select service and support.

Step 1: Begin with the base node

Base Node

Select the base node

Description

HPE SimpliVity 380 Gen10 Node

VMware ESXi Option

SKU

Q8D81A

#001

Step 2: Select the hardware options to add to the base node

2nd Generation Intel® Xeon® Scalable Processors

Action:

- Select CPUs for the node
- In the case of Single CPU only L21 SKU will be included by the configurator.
- In the case of dual CPU: both the L21 and the B21 SKU will be included by the configurator.

Primary

Remarks	Description	SKU
8C 2.1GHz 85W	Intel Xeon-Silver 4208 (2.1GHz/8-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02491-L21
10C 2.2GHz 85W	Intel Xeon-Silver 4210 (2.2GHz/10-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02492-L21
12C 2.2GHz 85W	Intel Xeon-Silver 4214 (2.2GHz/12-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02493-L21
8C 2.5GHz 85W	Intel Xeon-Silver 4215 (2.5GHz/8-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02494-L21
16C 2.1GHz 100W	Intel Xeon-Silver 4216 (2.1GHz/16-core/100W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02495-L21
10C 2.5GHz 85W	Intel Xeon-Gold 5215 (2.5GHz/10-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02496-L21
8C 3.0GHz 125W	Intel Xeon-Gold 5217 (3.0GHz/8-core/115W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02497-L21
16C 2.3GHz 125W	Intel Xeon-Gold 5218 (2.3GHz/16-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02498-L21
18C 2.2GHz 125W	Intel Xeon-Gold 5220 (2.2GHz/18-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02499-L21
12C 2.7GHz 125W	Intel Xeon-Gold 6226 (2.7GHz/12-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02501-L21
20C 2.1GHz 125W	Intel Xeon-Gold 6230 (2.1GHz/20-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02502-L21
8C 3.3GHz 130W	Intel Xeon-Gold 6234 (3.3GHz/8-core/130W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02503-L21
22C 2.1GHz 140W	Intel Xeon-Gold 6238 (2.1GHz/22-core/140W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02504-L21
18C 2.6GHz 150W	Intel Xeon-Gold 6240 (2.6GHz/18-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02509-L21



Configuration Information

Remarks	Description	SKU
16C 2.8GHz 150W	Intel Xeon-Gold 6242 (2.8GHz/16-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02510-L21
8C 3.7GHz 150W	Intel Xeon-Gold 6244 (3.6GHz/8-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02512-L21
20C 2.5GHz 150W	Intel Xeon-Gold 6248 (2.5GHz/20-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02514-L21
24C 2.1GHz 150W	Intel Xeon-Gold 6252 (2.1GHz/24-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02516-L21
18C 3.1GHz 200W	Intel Xeon-Gold 6254 (3.1GHz/18-core/200W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02517-L21
16C 2.2GHz 125W	Intel Xeon-Platinum 8253 (2.2GHz/16-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02518-L21
24C 2.4GHz 165W	Intel Xeon-Platinum 8260 (2.4GHz/24-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02521-L21
24C 2.9GHz 205W	Intel Xeon-Platinum 8268 (2.9GHz/24-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02524-L21
26C 2.6GHz 205W	Intel Xeon-Platinum 8270 (2.7GHz/26-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02525-L21
28C 2.2GHz 165W	Intel Xeon-Platinum 8276 (2.2GHz/28-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02526-L21
28C 2.7GHz 205W	Intel Xeon-Platinum 8280 (2.7GHz/28-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02527-L21
12C 3.3GHz 165W	Intel Xeon-Gold 6246 (3.3GHz/12-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P15758-L21
8C 1.9GHz 85W	Intel Xeon-Bronze 3206R (1.9GHz/8-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23547-L21
10C 2.4GHz 100W	Intel Xeon-Silver 4214R (2.4GHz/12-core/100W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23550-L21
12C 2.4GHz 100W	Intel Xeon-Silver 4214R (2.4GHz/12-core/100W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23550-L21
8C 3.2GHz 130W	Intel Xeon-Silver 4215R (3.2GHz/8-core/130W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24465-L21
20C 2.1GHz 125W	Intel Xeon-Gold 5218R (2.1GHz/20-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24466-L21
24C 2.2GHz 150W	Intel Xeon-Gold 5220R (2.2GHz/24-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23553-L21
16C 2.9GHz 150W	Intel Xeon-Gold 6226R (2.9GHz/16-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24467-L21
26C 2.1GHz 150W	Intel Xeon-Gold 6230R (2.1GHz/26-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24468-L21
28C 2.2GHz 165W	Intel Xeon-Gold 6238R (2.2GHz/28-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24469-L21
24C 2.4GHz 165W	Intel Xeon-Gold 6240R (2.4GHz/24-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24470-L21
20C 3.1GHz 205W	Intel Xeon-Gold 6242R (3.1GHz/20-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24471-L21
16C 3.4GHz 205W	Intel Xeon-Gold 6246R (3.4GHz/16-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24472-L21
24C 3.0GHz 205W	Intel Xeon-Gold 6248R (3.0GHz/24-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24473-L21
28C 2.7GHz 205W	Intel Xeon-Gold 6258R (2.7GHz/28-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24474-L21



Configuration Information

Secondary Remarks	Description	SKU
8C 2.1GHz 85W	Intel Xeon-Silver 4208 (2.1GHz/8-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02491-B21
10C 2.2GHz 85W	Intel Xeon-Silver 4210 (2.2GHz/10-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02492-B21
12C 2.2GHz 85W	Intel Xeon-Silver 4214 (2.2GHz/12-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02493-B21
8C 2.5GHz 85W	Intel Xeon-Silver 4215 (2.5GHz/8-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02494-B21
16C 2.1GHz 100W	Intel Xeon-Silver 4216 (2.1GHz/16-core/100W) Processor Kit for HPE ProLiant DL380 Gen10	P02495-B21
10C 2.5GHz 85W	Intel Xeon-Gold 5215 (2.5GHz/10-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02496-B21
8C 3.0GHz 125W	Intel Xeon-Gold 5217 (3.0GHz/8-core/115W) Processor Kit for HPE ProLiant DL380 Gen10	P02497-B21
16C 2.3GHz 125W	Intel Xeon-Gold 5218 (2.3GHz/16-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02498-B21
18C 2.2GHz 125W	Intel Xeon-Gold 5220 (2.2GHz/18-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02499-B21
12C 2.7GHz 125W	Intel Xeon-Gold 6226 (2.7GHz/12-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02501-B21
20C 2.1GHz 125W	Intel Xeon-Gold 6230 (2.1GHz/20-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02502-B21
8C 3.3GHz 130W	Intel Xeon-Gold 6234 (3.3GHz/8-core/130W) Processor Kit for HPE ProLiant DL380 Gen10	P02503-B21
22C 2.1GHz 140W	Intel Xeon-Gold 6238 (2.1GHz/22-core/140W) Processor Kit for HPE ProLiant DL380 Gen10	P02504-B21
18C 2.6GHz 150W	Intel Xeon-Gold 6240 (2.6GHz/18-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02509-B21
16C 2.8GHz 150W	Intel Xeon-Gold 6242 (2.8GHz/16-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02510-B21
8C 3.7GHz 150W	Intel Xeon-Gold 6244 (3.6GHz/8-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02512-B21
20C 2.5GHz 150W	Intel Xeon-Gold 6248 (2.5GHz/20-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02514-B21
24C 2.1GHz 150W	Intel Xeon-Gold 6252 (2.1GHz/24-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02516-B21
18C 3.1GHz 200W	Intel Xeon-Gold 6254 (3.1GHz/18-core/200W) Processor Kit for HPE ProLiant DL380 Gen10	P02517-B21
16C 2.2GHz 125W	Intel Xeon-Platinum 8253 (2.2GHz/16-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02518-B21
24C 2.4GHz 165W	Intel Xeon-Platinum 8260 (2.4GHz/24-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P02521-B21
24C 2.9GHz 205W	Intel Xeon-Platinum 8268 (2.9GHz/24-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P02524-B21
26C 2.6GHz 205W	Intel Xeon-Platinum 8270 (2.7GHz/26-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P02525-B21
28C 2.2GHz 165W	Intel Xeon-Platinum 8276 (2.2GHz/28-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P02526-B21
28C 2.7GHz 205W	Intel Xeon-Platinum 8280 (2.7GHz/28-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P02527-B21
12C 3.3GHz 165W	Intel Xeon-Gold 6246 (3.3GHz/12-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P15758-B21

Configuration Information

Remarks	Description	SKU
8C 1.9GHz 85W	Intel Xeon-Bronze 3206R (1.9GHz/8-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P23547-B21
10C 2.4GHz 100W	Intel Xeon-Silver 4210R (2.4GHz/10-core/100W) Processor Kit for HPE ProLiant DL380 Gen10	P23549-B21
12C 2.4GHz 100W	Intel Xeon-Silver 4214R (2.4GHz/12-core/100W) Processor Kit for HPE ProLiant DL380 Gen10	P23550-B21
8C 3.2GHz 130W	Intel Xeon-Silver 4215R (3.2GHz/8-core/130W) Processor Kit for HPE ProLiant DL380 Gen10	P24465-B21
20C 2.1GHz 125W	Intel Xeon-Gold 5218R (2.1GHz/20-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P24466-B21
24C 2.2GHz 150W	Intel Xeon-Gold 5220R (2.2GHz/24-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P23553-B21
16C 2.9GHz 150W	Intel Xeon-Gold 6226R (2.9GHz/16-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P24467-B21
26C 2.1GHz 150W	Intel Xeon-Gold 6230R (2.1GHz/26-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P24468-B21
28C 2.2GHz 165W	Intel Xeon-Gold 6238R (2.2GHz/28-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P24469-B21
24C 2.4GHz 165W	Intel Xeon-Gold 6240R (2.4GHz/24-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P24470-B21
20C 3.1GHz 205W	Intel Xeon-Gold 6242R (3.1GHz/20-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24471-B21
16C 3.4GHz 205W	Intel Xeon-Gold 6246R (3.4GHz/16-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24472-B21
24C 3.0GHz 205W	Intel Xeon-Gold 6248R (3.0GHz/24-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24473-B21
28C 2.7GHz 205W	Intel Xeon-Gold 6258R (2.7GHz/28-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24474-B21

Memory

Action:

- Select a memory capacity for the node
- The appropriate memory and quantity will be included by the configurator
- 1 Kit required per CPU

DDR4-2933

Remarks	Description	SKU
6x 8GB AND 6x 16GB RDIMMs	HPE SimpliVity 144G(6x8/6x16) RDIMM Kit	R4C18A
12x 16GB RDIMMs	HPE SimpliVity 192GB (12x16GB) DDR4-2933 Registered Memory Kit	R4C19A
6x 32GB RDIMMs	HPE SimpliVity 192GB (6x32GB) DDR4-2933 Registered Memory Kit	R4C20A
6x 32GB AND 6x 8GB RDIMMs	HPE SimpliVity 240GB (6x32GB/6x8GB) DDR4-2933 Registered Memory Kit	R4C21A
4x 64GB RDIMMs	HPE SimpliVity 256GB (4x64GB) DDR4-2933 Registered Smart Memory Kit	R4C22A
8x 32GB LRDIMMs	HPE SimpliVity 256GB (8x32GB) DDR4-2933 Registered Memory Kit	R4C23A
6x 32GB AND 6x 16GB RDIMMs	HPE SimpliVity 288GB (6x32GB/6x16GB) DDR4-2933 Registered Memory Kit	R4C26A
12x 32GB RDIMMs	HPE SimpliVity 384GB (12x32GB) DDR4-2933 Registered Memory Kit	R4C27A
6x 64GB RDIMMs	HPE SimpliVity 384GB (6x64GB) DDR4-2933 Registered Smart Memory Kit	R4C28A
8x 64GB RDIMMs	SimpliVity 512GB (8x64GB) DDR4-2933 Registered Smart Memory Kit	R4C24A
6x 128GB LRDIMMs	HPE SimpliVity 768GB (6x128GB) DDR4-2933 Load Reduced Memory Kit	R4C30A
12x 64GB RDIMMs	HPE SimpliVity 768GB (12x64GB) DDR4-2933 Registered Smart Memory Kit	R4C29A

Configuration Information

Remarks	Description	SKU
12x 128GB LRDIMMs	HPE SimpliVity 1.5TB (12x128GB) DDR4-2933 Load Reduced Memory Kit	R4C25A

Notes: For more information go to: <http://www.hpe.com/docs/memory-population-rules>

Networking

Action: A 10GbE FlexLOM is required. This is in addition to the standard 4 port 1GbE LOM included in the base node.

Remarks	Description	SKU
	HPE FlexFabric 10Gb 2-port FLR-SFP+ 57810S Adapter	700751-B21
	HPE FlexFabric 10Gb 2-port FLR-T 57810S Adapter	700759-B21
	HPE Ethernet 10/25Gb 2-port FLR-SFP28 MCX4121A-ACFT Adapter	817749-B21
	HPE FlexFabric 10Gb 4-port FLR-T 57840S Adapter	764302-B21

PCI Adapter

Action: Additional PCI Adapters can be added in the case of dual socket with secondary riser.

System Max.	Description	SKU
3	HPE Ethernet 1Gb 4-port BASE-T BCM5719 Adapter	647594-B21
3	HPE Ethernet 10Gb 2-port SFP+ 57810S Adapter	652503-B21
3	HPE Ethernet 10Gb 2-port BASE-T 57810S Adapter	656596-B21
3	HPE Ethernet 1Gb 4-port BASE-T I350-T4V2 Adapter	811546-B21
3	HPE Ethernet 10/25Gb 2-port SFP28 MCX4121A-ACUT Adapter	817753-B21

Power Supplies

Action: Two power supplies are required.

Remarks	Description	SKU
	HPE 800W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	865414-B21
	HPE 800W Flex Slot Universal Hot Plug Low Halogen Power Supply Kit	865428-B21
	HPE 800W Flex Slot -48VDC Hot Plug Low Halogen Power Supply Kit	865434-B21
	HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	865438-B21
	HPE 1600W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	830272-B21

Notes:

- The power supply requirement can vary based configuration and environment. 800W Power Supply is only supported with specific configurations. Please refer to HPE Power Advisor for proper power sizing.
- All configured nodes ship with a standard 6-foot IEC C-13/C-14 jumper cord (A0K02A). This jumper cord is also included with each standard AC power supply option kit. If a different power cord is required, please check the ProLiant Power Cables web page.

<https://h20195.www2.hpe.com/v2/getpdf.aspx/4AA6-6836ENW.pdf>

Optional Fibre Channel HBA cards

Action: Optional FC HBAs may be added if slots are available

System Max.	Description	SKU
3	HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter	P9D94A
3	HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter	P9M76A

Optional GPUs

Action: Optional Graphic Accelerator (1) may be added in the case of dual CPU with secondary riser.

System Max.	Description	SKU
1	NVIDIA M10 Quad GPU Module for HPE	Q0J62A
1	NVIDIA P40 24GB Computational Accelerator for HPE	Q0V80A
1	NVIDIA T4 16GB Computational Accelerator for HPE	ROW29A



Configuration Information

Power Cord Options

Action: Additional hardware options are available

Remarks	Description	SKU
	HPE C13 - GB-1002 CN 250V 10Amp 1.83m Power Cord	AF557A
	HPE C13 - KSC- 8305 KR 250V 10Amp 1.83m Power Cord	AF560A
	HPE C13 - CNS-690 TW 110V 13Amp 1.83m Power Cord	AF561A
	HPE C13 - IS-1293 IN 240V 6Amp LV 2.0m Power Cord	AF562A
	HPE SAFDGRID-SAFDGRID 277V 15Amp DC 2.0m Jumper Cord	J6X00A
	HPE 48VDC 2.85m Power Cable	Q0H80A
	HPE C13 - IS-1293 IN 250V 10Amp HV 2.5m Power Cord	SG579A
	HPE C13 - Nema 5-15P US/CA 110V 10Amp 1.83m Power Cord	AF556A
	HPE C13 - IRAM -2073 AR 250V 10A 2.5m Power Cord	AF558A
	HPE C13 - Nema 5-15P TH/PH 250V 10Amp 1.83m Power Cord	AF559A
	HPE C13 - SEV 1011 CH 250V 10Amp 1.83m Power Cord	AF565A
	HPE C13 - DK-2.5A DK 250V 10Amp 1.83m Power Cord	AF566A
	HPE C13 - CEE-VII EU 250V 10Amp 1.83m Power Cord	AF568A
	HPE C13 - AS3112-3 AU 250V 10Amp 2.5m Power Cord	AF569A
	HPE C13 - SI-32 IL 250V 10Amp 1.83m Power Cord	AF564A
	HPE C13 - JIS C8303 JP 100V 12Amp 2.0m Power Cord	AF572A
	HPE C13 - BS-1363A UK/HK/SG 250V 10Amp 1.83m Power Cord	AF570A

Notes:

- Network cables and transceivers are available in the Aruba and DataCenter Networking menus.
- Information on interoperability between network adapters, transceivers, and cables is available in network adapter QuickSpecs.
- For more information on HPE rack enclosures, review the QuickSpecs at: <https://www.hpe.com/us/en/product-catalog/servers/server-racks.hits-12.html>.

Additional Server Options

Action: Additional hardware options are available

Remarks	Description	SKU
	HPE DL380 Gen10 SFF Systems Insight Display Kit	826703-B21
	HPE DL3XX Gen10 Rear Serial Cable and Enablement Kit	873770-B21
	HPE 2U Small Form Factor Ball Bearing Rail Kit	720863-B21
	HPE 2U Cable Management Arm for Ball Bearing Rail Kit	720865-B21
	HPE 2U Small Form Factor Easy Install Rail Kit	733660-B21

Storage

Effective capacity varies by environment and is a function of realized deduplication and compression rates. The capacities in this table offer a conservative range based on compression and deduplication rates found in standard, primary storage use cases.

Action:

- Select one storage kit for the node
- The appropriate OmniStack software will be included by the configurator

Effective Capacity	Description	SKU
3-6TB	HPE SimpliVity 380 for 4000 Series Extra Small Storage Kit	Q8D90A
6-12 TB	HPE SimpliVity 380 for 4000 Series Small Storage Kit	Q8D91A
12-25TB	HPE SimpliVity 380 for 4000 Series Medium Storage Kit	Q8D92A
20-40TB	HPE SimpliVity 380 for 4000 Series Large Storage Kit	Q8D93A
40-80TB	HPE SimpliVity 380 for 4000 Series Extra Large Storage Kit	Q9J90A
3-6TB	HPE SimpliVity 380 for 6000 Series Extra Small Storage Kit	Q8D94A
6-12 TB	HPE SimpliVity 380 for 6000 Series Small Storage Kit	Q5V86A
12-25TB	HPE SimpliVity 380 for 6000 Series Medium Storage Kit	Q5V87A
20-40TB	HPE SimpliVity 380 for 6000 Series Large Storage Kit	Q5V88A



Configuration Information

Step 3: The software license that corresponds to the node configuration will be automatically added

Software

HPE OmniStack Software

Action:

- Based on the hardware configurations selected, the appropriate software will be included by the configurator.
- The software is determined by CPU and storage configuration and is required.

Remarks	Description	SKU
	HPE OmniStack 1P Extra Small SW	Q8A57A
	HPE OmniStack 2P Extra Small SW	Q8A58A
	HPE OmniStack 1P Small SW	Q8A59A
	HPE OmniStack 2P Small SW	Q8A60A
	HPE OmniStack 1P Medium SW	Q8A61A
	HPE OmniStack 2P Medium SW	Q8A62A
	HPE OmniStack 1P Large SW	Q8A63A
	HPE OmniStack 2P Large SW	Q8A64A
	HPE OmniStack 1P Extra Large SW	Q9J86A
	HPE OmniStack 2P Extra Large SW	Q9J87A

HPE Integrated Lights Out Advanced Software (iLO Advanced)

Action: The HPE iLO Advanced license is required

Remarks	Description	SKU
	HPE iLO Advanced 1-server License with 3yr Support on iLO Licensed Features	BD505A

VMware Software

Action:

- A valid VMware vSphere license is required for each CPU to complete deployment.
- If an order is placed without VMware licenses, the user agrees to supply the necessary license.

vSphere

Remarks	Description	SKU
	VMware vSphere Standard 1 Processor 3yr E-LTU	BD711AAE
	VMware vSphere Enterprise Plus 1 Processor 3yr Software	BD715A
	VMware vSphere Enterprise Plus 1 Processor 3yr E-LTU	BD715AAE
	VMware vSphere Remote Office Branch Office Standard 25VM 3yr E-LTU	P9A82AAE
	VMware vSphere Remote Office Branch Office Advanced 25VM 3yr E-LTU	P9A85AAE
	VMware vSphere Standard 1 Processor 5yr Software	BD512A
	VMware vSphere Standard 1 Processor 5yr E-LTU	BD512AAE
	VMware vSphere Enterprise Plus 1 Processor 5yr Software	BD514A
	VMware vSphere Enterprise Plus 1 Processor 5yr E-LTU	BD514AAE

Notes:

- The HPE SimpliVity 380 supports VMware vSphere 6.5, 6.7 and 7.0
- For VMware and HW compatibility, please see the interoperability guide **HPE SimpliVity OmniStack Interoperability Guide** or **HPE Support Center portal** (<https://www.hpe.com/support/hpesc>). HPE SimpliVity 380 Gen10 for VMware vSphere requires valid VMware vSphere, and vCenter licenses. VMware licenses can only be removed from the order if it is confirmed that the end-customer has a valid licenses in place (Enterprise License Agreement (ELA), vCloud Air Partner or unused Enterprise Purchasing Program tokens).
- Purchasing VMware licenses from Hewlett Packard Enterprise allows Hewlett Packard Enterprise to be the single point of contact for the entire solution inclusive of the virtualization software and is recommended. When the VMware license is not included on the order the solution level support experience is impacted.



Configuration Information

vCenter

Optional vCenter License

Remarks	Description	SKU
	VMware vCenter Server Standard for vSphere (per Instance) 3yr E-LTU	P9U41AAE
	VMware vCenter Server Standard for vSphere (per Instance) 5yr E-LTU	P9U42AAE

Notes:

- The HPE SimpliVity 380 supports VMware vCenter 6.5, 6.7 and 7.0
- For VMware and HW compatibility, please see the <https://www.hpe.com/info/simplivity-interop-doc> or **HPE Support Center portal**
- The customer is responsible for ensuring licensing compliance on all running virtual machines. Licenses may be added to the order as standalone items from the catalog. Licenses added at the node level will be cloned with the node.
- Information on available licenses for non-preinstalled Operating Systems can be found on the relevant product pages:
 - o Microsoft Windows Server 2016: <https://www.hpe.com/us/en/product-catalog/detail/pip.microsoft-windows-server-2016.1009480090.html>
 - o Red Hat Enterprise Linux: <https://www.hpe.com/us/en/product-catalog/detail/pip.5393115.html>
 - o SUSE Linux Enterprise Server: <https://www.hpe.com/us/en/product-catalog/detail/pip.5379857.html>

HPE SimpliVity 380 Gen10 G: Overview for New System

Use the following steps to order a new SimpliVity 380 Gen10 system:

Step 1: Begin with the base node

Step 2: Select the hardware options to add to the base node: processors, memory, storage, networking, power, other optional HW

Step 3: The software license that corresponds to the node configuration will be automatically added

Step 4: Select service and support.

Step 1: Begin with the base node

Base Node

Action:

- Select the base node
- VMware tracking SKU added automatically

Remarks	Description	SKU
	HPE SimpliVity 380 Gen10 G Node	R2G96A
	HPE SimpliVity 380 Gen10 NC G Node	R6A82A
	HPE SimpliVity 380 Gen10 Node with VMware Tracking	R2G97A

Step 2: Select the hardware options to add to the base node

Processors

1st Generation Intel® Xeon® Scalable Processors

Action:

- Select CPUs for the node
- In the case of Single CPU only L21 SKU will be included by the configurator.
- In the case of dual CPU: both the L21 and the B21 SKU will be included by the configurator

2nd Generation Intel® Xeon® Scalable Processors

Action:

- Select CPUs for the node
- In the case of Single CPU only L21 SKU will be included by the configurator.
- In the case of dual CPU: both the L21 and the B21 SKU will be included by the configurator



Configuration Information

Primary Remarks	Description	SKU
8C 2.1GHz 85W	Intel Xeon-Silver 4208 (2.1GHz/8-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02491-L21
10C 2.2GHz 85W	Intel Xeon-Silver 4210 (2.2GHz/10-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02492-L21
12C 2.2GHz 85W	Intel Xeon-Silver 4214 (2.2GHz/12-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02493-L21
8C 2.5GHz 85W	Intel Xeon-Silver 4215 (2.5GHz/8-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02494-L21
16C 2.1GHz 100W	Intel Xeon-Silver 4216 (2.1GHz/16-core/100W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02495-L21
10C 2.5GHz 85W	Intel Xeon-Gold 5215 (2.5GHz/10-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02496-L21
8C 3.0GHz 125W	Intel Xeon-Gold 5217 (3.0GHz/8-core/115W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02497-L21
16C 2.3GHz 125W	Intel Xeon-Gold 5218 (2.3GHz/16-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02498-L21
18C 2.2GHz 125W	Intel Xeon-Gold 5220 (2.2GHz/18-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02499-L21
12C 2.7GHz 125W	Intel Xeon-Gold 6226 (2.7GHz/12-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02501-L21
20C 2.1GHz 125W	Intel Xeon-Gold 6230 (2.1GHz/20-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02502-L21
8C 3.3GHz 130W	Intel Xeon-Gold 6234 (3.3GHz/8-core/130W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02503-L21
22C 2.1GHz 140W	Intel Xeon-Gold 6238 (2.1GHz/22-core/140W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02504-L21
18C 2.6GHz 150W	Intel Xeon-Gold 6240 (2.6GHz/18-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02509-L21
16C 2.8GHz 150W	Intel Xeon-Gold 6242 (2.8GHz/16-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02510-L21
8C 3.7GHz 150W	Intel Xeon-Gold 6244 (3.6GHz/8-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02512-L21
20C 2.5GHz 150W	Intel Xeon-Gold 6248 (2.5GHz/20-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02514-L21
24C 2.1GHz 150W	Intel Xeon-Gold 6252 (2.1GHz/24-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02516-L21
18C 3.1GHz 200W	Intel Xeon-Gold 6254 (3.1GHz/18-core/200W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02517-L21
16C 2.2GHz 125W	Intel Xeon-Platinum 8253 (2.2GHz/16-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02518-L21
24C 2.4GHz 165W	Intel Xeon-Platinum 8260 (2.4GHz/24-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02521-L21
24C 2.9GHz 205W	Intel Xeon-Platinum 8268 (2.9GHz/24-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02524-L21
26C 2.6GHz 205W	Intel Xeon-Platinum 8270 (2.7GHz/26-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02525-L21
28C 2.2GHz 165W	Intel Xeon-Platinum 8276 (2.2GHz/28-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02526-L21
28C 2.7GHz 205W	Intel Xeon-Platinum 8280 (2.7GHz/28-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02527-L21



Configuration Information

Remarks	Description	SKU
12C 3.3GHz 165W	Intel Xeon-Gold 6246 (3.3GHz/12-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P15758-L21
8C 1.9GHz 85W	Intel Xeon-Bronze 3206R (1.9GHz/8-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23547-L21
10C 2.4GHz 100W	Intel Xeon-Silver 4214R (2.4GHz/12-core/100W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23550-L21
12C 2.4GHz 100W	Intel Xeon-Silver 4214R (2.4GHz/12-core/100W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23550-L21
8C 3.2GHz 130W	Intel Xeon-Silver 4215R (3.2GHz/8-core/130W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24465-L21
20C 2.1GHz 125W	Intel Xeon-Gold 5218R (2.1GHz/20-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24466-L21
24C 2.2GHz 150W	Intel Xeon-Gold 5220R (2.2GHz/24-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23553-L21
16C 2.9GHz 150W	Intel Xeon-Gold 6226R (2.9GHz/16-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24467-L21
26C 2.1GHz 150W	Intel Xeon-Gold 6230R (2.1GHz/26-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24468-L21
28C 2.2GHz 165W	Intel Xeon-Gold 6238R (2.2GHz/28-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24469-L21
24C 2.4GHz 165W	Intel Xeon-Gold 6240R (2.4GHz/24-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24470-L21
20C 3.1GHz 205W	Intel Xeon-Gold 6242R (3.1GHz/20-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24471-L21
16C 3.4GHz 205W	Intel Xeon-Gold 6246R (3.4GHz/16-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24472-L21
24C 3.0GHz 205W	Intel Xeon-Gold 6248R (3.0GHz/24-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24473-L21
28C 2.7GHz 205W	Intel Xeon-Gold 6258R (2.7GHz/28-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24474-L21
Secondary Remarks	Description	SKU
8C 2.1GHz 85W	Intel Xeon-Silver 4208 (2.1GHz/8-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02491-B21
10C 2.2GHz 85W	Intel Xeon-Silver 4210 (2.2GHz/10-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02492-B21
12C 2.2GHz 85W	Intel Xeon-Silver 4214 (2.2GHz/12-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02493-B21
8C 2.5GHz 85W	Intel Xeon-Silver 4215 (2.5GHz/8-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02494-B21
16C 2.1GHz 100W	Intel Xeon-Silver 4216 (2.1GHz/16-core/100W) Processor Kit for HPE ProLiant DL380 Gen10	P02495-B21
10C 2.5GHz 85W	Intel Xeon-Gold 5215 (2.5GHz/10-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02496-B21
8C 3.0GHz 125W	Intel Xeon-Gold 5217 (3.0GHz/8-core/115W) Processor Kit for HPE ProLiant DL380 Gen10	P02497-B21
16C 2.3GHz 125W	Intel Xeon-Gold 5218 (2.3GHz/16-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02498-B21
18C 2.2GHz 125W	Intel Xeon-Gold 5220 (2.2GHz/18-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02499-B21



Configuration Information

Remarks	Description	SKU
12C 2.7GHz 125W	Intel Xeon-Gold 6226 (2.7GHz/12-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02501-B21
20C 2.1GHz 125W	Intel Xeon-Gold 6230 (2.1GHz/20-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02502-B21
8C 3.3GHz 130W	Intel Xeon-Gold 6234 (3.3GHz/8-core/130W) Processor Kit for HPE ProLiant DL380 Gen10	P02503-B21
22C 2.1GHz 140W	Intel Xeon-Gold 6238 (2.1GHz/22-core/140W) Processor Kit for HPE ProLiant DL380 Gen10	P02504-B21
18C 2.6GHz 150W	Intel Xeon-Gold 6240 (2.6GHz/18-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02509-B21
16C 2.8GHz 150W	Intel Xeon-Gold 6242 (2.8GHz/16-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02510-B21
8C 3.7GHz 150W	Intel Xeon-Gold 6244 (3.6GHz/8-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02512-B21
20C 2.5GHz 150W	Intel Xeon-Gold 6248 (2.5GHz/20-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02514-B21
24C 2.1GHz 150W	Intel Xeon-Gold 6252 (2.1GHz/24-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02516-B21
18C 3.1GHz 200W	Intel Xeon-Gold 6254 (3.1GHz/18-core/200W) Processor Kit for HPE ProLiant DL380 Gen10	P02517-B21
16C 2.2GHz 125W	Intel Xeon-Platinum 8253 (2.2GHz/16-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02518-B21
24C 2.4GHz 165W	Intel Xeon-Platinum 8260 (2.4GHz/24-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P02521-B21
24C 2.9GHz 205W	Intel Xeon-Platinum 8268 (2.9GHz/24-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P02524-B21
26C 2.6GHz 205W	Intel Xeon-Platinum 8270 (2.7GHz/26-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P02525-B21
28C 2.2GHz 165W	Intel Xeon-Platinum 8276 (2.2GHz/28-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P02526-B21
28C 2.7GHz 205W	Intel Xeon-Platinum 8280 (2.7GHz/28-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P02527-B21
12C 3.3GHz 165W	Intel Xeon-Gold 6246 (3.3GHz/12-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P15758-B21
8C 1.9GHz 85W	Intel Xeon-Bronze 3206R (1.9GHz/8-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P23547-B21
10C 2.4GHz 100W	Intel Xeon-Silver 4210R (2.4GHz/10-core/100W) Processor Kit for HPE ProLiant DL380 Gen10	P23549-B21
12C 2.4GHz 100W	Intel Xeon-Silver 4214R (2.4GHz/12-core/100W) Processor Kit for HPE ProLiant DL380 Gen10	P23550-B21
8C 3.2GHz 130W	Intel Xeon-Silver 4215R (3.2GHz/8-core/130W) Processor Kit for HPE ProLiant DL380 Gen10	P24465-B21
20C 2.1GHz 125W	Intel Xeon-Gold 5218R (2.1GHz/20-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P24466-B21
24C 2.2GHz 150W	Intel Xeon-Gold 5220R (2.2GHz/24-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P23553-B21
16C 2.9GHz 150W	Intel Xeon-Gold 6226R (2.9GHz/16-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P24467-B21
26C 2.1GHz 150W	Intel Xeon-Gold 6230R (2.1GHz/26-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P24468-B21
28C 2.2GHz 165W	Intel Xeon-Gold 6238R (2.2GHz/28-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P24469-B21

Configuration Information

Remarks	Description	SKU
24C 2.4GHz 165W	Intel Xeon-Gold 6240R (2.4GHz/24-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P24470-B21
20C 3.1GHz 205W	Intel Xeon-Gold 6242R (3.1GHz/20-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24471-B21
16C 3.4GHz 205W	Intel Xeon-Gold 6246R (3.4GHz/16-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24472-B21
24C 3.0GHz 205W	Intel Xeon-Gold 6248R (3.0GHz/24-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24473-B21
28C 2.7GHz 205W	Intel Xeon-Gold 6258R (2.7GHz/28-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24474-B21

Notes: Network Choice (NC) server models must be selected for 2nd Generation Intel Xeon® Scalable “Refresh” (R) Processors for the SimpliVity 380 G and 380 H Models

Memory

Action:

- Select a memory capacity for the node
- The appropriate memory and quantity will be included by the configurator
- 1 Kit required per CPU

DDR4-2933

Remarks	Description	SKU
8x P00920-K21	HPE SimpliVity 128GB (8x16GB) DDR4-2933 Registered Memory Kit	R4C17A
6x P00918-K21, 6xP00920-K21	HPE SimpliVity 144G(6x8/6x16) RDIMM Kit	R4C18A
12x P00920-K21	HPE SimpliVity 192GB (12x16GB) DDR4-2933 Registered Memory Kit	R4C19A
6x P00924-K21	HPE SimpliVity 192GB (6x32GB) DDR4-2933 Registered Memory Kit	R4C20A
6x P00924-K21, 6x P00918-K21	HPE SimpliVity 240GB (6x32GB/6x8GB) DDR4-2933 Registered Memory Kit	R4C21A
4x P00930-K21	HPE SimpliVity 256GB (4x64GB) DDR4-2933 Registered Smart Memory Kit	R4C22A
8x P00924-K21	HPE SimpliVity 256GB (8x32GB) DDR4-2933 Registered Memory Kit	R4C23A
6x P00924-K21, 6x P00922-K21	HPE SimpliVity 288GB (6x32GB/6x16GB) DDR4-2933 Registered Memory Kit	R4C26A
12x P00924-K21	HPE SimpliVity 384GB (12x32GB) DDR4-2933 Registered Memory Kit	R4C27A
6x P00930-K21	HPE SimpliVity 384GB (6x64GB) DDR4-2933 Registered Smart Memory Kit	R4C28A
8x P00930-K21	HPE SimpliVity 512GB (8x64GB) DDR4-2933 Registered Smart Memory Kit	R4C24A
6x P11040-K21	HPE SimpliVity 768GB (6x128GB) DDR4-2933 Load Reduced Memory Kit	R4C30A
12x P00930-K21	HPE SimpliVity 768GB (12x64GB) DDR4-2933 Registered Smart Memory Kit	R4C29A
12x P11040-K21	HPE SimpliVity 1.5TB (12x128GB) DDR4-2933 Load Reduced Memory Kit	R4C25A

Notes:

- For more information go to: <http://www.hpe.com/docs/memory-population-rules>
- DDR4-2933 Memory Kits are only supported with 2nd Generation Intel Xeon Scalable Series Processors and DDR4-2666 Memory Kits are only supported with 1st Generation Intel Xeon Scalable Series Processors



Configuration Information

Networking

Action: One FlexLOM is required. This is in addition to the standard 4 port 1GbE LOM included in the base node

System Max	Description	SKU
1	HPE Ethernet 1Gb 4-port FLR-T BCM5719 Adapter	629135-B22
1	HPE Ethernet 1Gb 4-port FLR-T I350-T4V2 Adapter	665240-B21
1	HPE FlexFabric 10Gb 2-port FLR-T 57810S Adapter	700759-B21
1	HPE FlexFabric 10Gb 2-port FLR-SFP+ 57810S Adapter	700751-B21
1	HPE FlexFabric 10Gb 4-port FLR-T 57840S Adapter	764302-B21
1	HPE Ethernet 10/25Gb 2-port FLR-SFP28 BCM57414 Adapter	817709-B21
1	HPE Ethernet 10/25Gb 2-port FLR-SFP28 MCX4121A-ACFT Adapter	817749-B21

PCIe Adapter

Action: Optional PCIe Adapters can be added if slots are available. Additional PCIe slots are available in the case of dual CPU with secondary riser

System Max	Description	SKU
5	HPE Ethernet 1Gb 4-port BASE-T BCM5719 Adapter	647594-B21
5	HPE Ethernet 1Gb 4-port BASE-T I350-T4V2 Adapter	811546-B21
5	HPE Ethernet 10Gb 2-port SFP+ 57810S Adapter	652503-B21
5	HPE Ethernet 10Gb 2-port BASE-T 57810S Adapter	656596-B21
5	HPE Ethernet 10/25Gb 2-port SFP28 QL41401-A2G Adapter	867328-B21
5	HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 Adapter	817718-B21
5	HPE Ethernet 10/25Gb 2-port SFP28 MCX4121A-ACUT Adapter	817753-B21

Power Supplies

Action: Two power supplies are required.

Remarks	Description	SKU
	HPE 800W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	865414-B21
	HPE 800W Flex Slot Universal Hot Plug Low Halogen Power Supply Kit	865428-B21
	HPE 800W Flex Slot -48VDC Hot Plug Low Halogen Power Supply Kit	865434-B21
	HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	865438-B21
	HPE 1600W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	830272-B21

Notes:

- The power supply requirement can vary based configuration and environment. 800W Power Supply is only supported with specific configurations. Please refer to HPE Power Advisor for proper power sizing.
- All configured nodes ship with a standard 6-foot IEC C-13/C-14 jumper cord (A0K02A). This jumper cord is also included with each standard AC power supply option kit. If a different power cord is required, please check the ProLiant Power Cables web page. <https://h20195.www2.hp.com/v2/getpdf.aspx/4AA6-6836ENW.pdf>

Optional Fibre Channel HBA cards

Action: Optional FC HBAs may be added if slots are available

System Max	Description	SKU
5	HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter	P9D94A
5	HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter	P9M76A

Notes:

- Additional network cables and transceivers are available in the Aruba and DataCenter Networking menus.
- Information on interoperability between network adapters, transceivers, and cables is available in network adapter QuickSpecs.



Configuration Information

Optional GPUs

Action: Optional Graphic Accelerator (2) may be added in the case of dual CPU with secondary riser

System Max	Description	SKU
2	NVIDIA M10 Quad GPU Module for HPE	QOJ62A
2	NVIDIA P40 24GB Computational Accelerator for HPE	QOV80A
2	NVIDIA T4 16GB Computational Accelerator for HPE	ROW29A

Additional Server Options

Action: Additional hardware options are available.

Remarks	Description	SKU
	HPE DL380 Gen10 SFF Systems Insight Display Kit	826703-B21
	HPE DL3XX Gen10 Rear Serial Cable and Enablement Kit	873770-B21
	HPE 2U Small Form Factor Ball Bearing Rail Kit	720863-B21
	HPE 2U Cable Management Arm for Ball Bearing Rail Kit	720865-B21
	HPE 2U Small Form Factor Easy Install Rail Kit	733660-B21

Storage

Action:

- Select one storage kit for the node
- Choose either read intensive or mixed use drive configuration
- The appropriate OmniStack software will be included by the configurator
- Only the Read Intensive SSD drives are supported with the 24x SSD Kits

Read Intensive

- Qty 1 of Q9Y49A (6x1.92TB) is required for HPE SimpliVity 380 G 6x SSD
- Qty 2 of R2Z28A (4x1.92TB) is required for HPE SimpliVity 380 G 8x SSD
- Qty 3 of R2Z28A (4x1.92TB) is required for HPE SimpliVity 380 G 12x SSD
- Qty 4 of R2Z28A (4x1.92TB) is required for HPE SimpliVity 380 G 16x SSD
- Qty 6 of R2Z28A (6x1.92TB) is required for HPE SimpliVity 380 G 24x SSD

Mixed Use (Not available on the 380 G 24x SSD Kit)

- Qty 1 of R6A83A (6x1.92TB) is required for HPE SimpliVity 380 G 6x SSD
- Qty 2 of R4D38A (4x1.92TB) is required for HPE SimpliVity 380 G 8x SSD
- Qty 3 of R4D38A (4x1.92TB) is required for HPE SimpliVity 380 G 12x SSD
- Qty 4 of R4D38A (4x1.92TB) is required for HPE SimpliVity 380 G 16x SSD

Usable Capacity	Description	SKU
7.5TB	HPE SimpliVity 6x1.92TB SFF SSD Kit	Q9Y49A
	HPE SimpliVity 1.92TB SATA 6G Mixed Use SFF (2.5in) 6-pack SSD	R6A83A
10/15/21TB	HPE SimpliVity 4x1.92TB SFF SSD Kit	R2Z28A
	HPE SimpliVity 1.92TB SATA 6G Mixed Use SFF (2.5in) 4-pack SSD	R4D38A

Notes: Usable capacity is the capacity available after RAID and system overheads have been removed, before deduplication and compression is applied



Configuration Information

Step 3: The software license that corresponds to the node configuration will be automatically added

HPE SimpliVity Software

Action: Based on the number of CPUs in the node, the appropriate software will be included by the configurator.

Remarks	Description	SKU
	HPE SimpliVity 380 G 1 Processor 7.5TB Software	R4D13A
	HPE SimpliVity 380 G 2 Processors 7.5TB Software	R4D14A
	HPE SimpliVity 380 1 Processor 10TB Software	R3V05A
	HPE SimpliVity 380 2 Processors 10TB Software	R3V06A
	HPE SimpliVity 380 G 1 Processor 15TB Software	R4D15A
	HPE SimpliVity 380 G 2 Processors 15TB Software	R4D16A
	HPE SimpliVity 380 G 1 Processor 21TB Software	R4D17A
	HPE SimpliVity 380 G 2 Processors 21TB Software	R4D18A
	HPE SimpliVity 380 G 1 Processor 30TB Software	R4D29A
	HPE SimpliVity 380 G 2 Processors 30TB Software	R4D30A

VMware Software

Action:

- A valid VMware vSphere license is required for each CPU to complete deployment.
- If an order is placed without VMware licenses, the user agrees to supply the necessary license.

vSphere

Remarks	Description	SKU
	VMware vSphere Remote Office Branch Office Standard 25VM 3yr E-LTU	P9A82AAE
	VMware vSphere Remote Office Branch Office Standard 25VM 5yr E-LTU	P9A83AAE
	VMware vSphere Remote Office Branch Office Advanced 25VM 3yr E-LTU	P9A85AAE
	VMware vSphere Remote Office Branch Office Advanced 25VM 5yr E-LTU	P9A86AAE
	VMware vSphere Standard 1 Processor 3yr Software	BD711A
	VMware vSphere Standard 1 Processor 3yr E-LTU	BD711AAE
	VMware vSphere Enterprise Plus 1 Processor 3yr Software	BD715A
	VMware vSphere Enterprise Plus 1 Processor 3yr E-LTU	BD715AAE
	VMware vSphere Standard 1 Processor 5yr Software	BD512A
	VMware vSphere Standard 1 Processor 5yr E-LTU	BD512AAE
	VMware vSphere Enterprise Plus 1 Processor 5yr Software	BD514A
	VMware vSphere Enterprise Plus 1 Processor 5yr E-LTU	BD514AAE

Notes:

- HPE SimpliVity 380 Gen10 for VMware vSphere requires valid VMware vSphere and vCenter licenses. VMware licenses can only be removed from the order if it is confirmed that the end-customer has valid licenses in place (Enterprise License Agreement (ELA), vCloud Air Partner or unused Enterprise Purchasing Program tokens).
- Purchasing VMware licenses from Hewlett Packard Enterprise allows Hewlett Packard Enterprise to be the single point of contact for the entire solution inclusive of the virtualization software and is recommended. When the VMware license is not included on the order the solution level support experience is impacted.

HPE Integrated Lights Out Advanced Software (iLO Advanced)

Action: The HPE iLO Advanced license is required

Remarks	Description	SKU
	HPE iLO Advanced 1-server License with 3yr Support on iLO Licensed Features	BD505A
	HPE iLO Advanced Flexible Quantity License with 3yr Support on iLO Licensed Features	BD506A
	HPE iLO Advanced AKA Tracking License with 3yr Support on iLO Licensed Features	BD507A
	HPE iLO Advanced Electronic License with 3yr Support on iLO Licensed Features	E6U64ABE



Configuration Information

HPE SimpliVity 380 Gen10 H: Overview for New System

Use the following steps to order a new SimpliVity 380 Gen10 system:

Step 1: Begin with the base node

Step 2: Select the hardware options to add to the base node: processors, memory, storage, networking, power, other optional HW

Step 3: The software license that corresponds to the node configuration will be automatically added

Step 4: Select service and support

Step 1: Begin with the base node

Base Node

Action:

- Select the base node
- VMware tracking SKU added automatically

Remarks	Description	SKU
	HPE SimpliVity 380 Gen10 LFF H Node	R2Z00A
	HPE SimpliVity 380 Gen10 SFF H Node	R4D36A
	HPE SimpliVity 380 Gen10 LFF NC H Node	R6A80A
	HPE SimpliVity 380 Gen10 SFF NC H Node	R6A81A
	HPE SimpliVity 380 Gen10 Node with VMware Tracking	R2G97A

Step 2: Select the hardware options to add to the base node

Processors

1st Generation Intel® Xeon® Scalable Processors

Action:

- Select CPUs for the node
- In the case of Single CPU only L21 SKU will be included by the configurator.
- In the case of dual CPU: both the L21 and the B21 SKU will be included by the configurator

2nd Generation Intel® Xeon® Scalable Processors

Action:

- Select CPUs for the node
- In the case of Single CPU only L21 SKU will be included by the configurator.
- In the case of dual CPU: both the L21 and the B21 SKU will be included by the configurator

Primary

Remarks	Description	SKU
8C 2.1GHz 85W	Intel Xeon-Silver 4208 (2.1GHz/8-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02491-L21
10C 2.2GHz 85W	Intel Xeon-Silver 4210 (2.2GHz/10-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02492-L21
12C 2.2GHz 85W	Intel Xeon-Silver 4214 (2.2GHz/12-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02493-L21
8C 2.5GHz 85W	Intel Xeon-Silver 4215 (2.5GHz/8-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02494-L21
16C 2.1GHz 100W	Intel Xeon-Silver 4216 (2.1GHz/16-core/100W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02495-L21
10C 2.5GHz 85W	Intel Xeon-Gold 5215 (2.5GHz/10-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02496-L21
8C 3.0GHz 125W	Intel Xeon-Gold 5217 (3.0GHz/8-core/115W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02497-L21
16C 2.3GHz 125W	Intel Xeon-Gold 5218 (2.3GHz/16-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02498-L21



Configuration Information

Remarks	Description	SKU
18C 2.2GHz 125W	Intel Xeon-Gold 5220 (2.2GHz/18-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02499-L21
12C 2.7GHz 125W	Intel Xeon-Gold 6226 (2.7GHz/12-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02501-L21
20C 2.1GHz 125W	Intel Xeon-Gold 6230 (2.1GHz/20-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02502-L21
8C 3.3GHz 130W	Intel Xeon-Gold 6234 (3.3GHz/8-core/130W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02503-L21
22C 2.1GHz 140W	Intel Xeon-Gold 6238 (2.1GHz/22-core/140W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02504-L21
18C 2.6GHz 150W	Intel Xeon-Gold 6240 (2.6GHz/18-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02509-L21
16C 2.8GHz 150W	Intel Xeon-Gold 6242 (2.8GHz/16-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02510-L21
8C 3.7GHz 150W	Intel Xeon-Gold 6244 (3.6GHz/8-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02512-L21
20C 2.5GHz 150W	Intel Xeon-Gold 6248 (2.5GHz/20-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02514-L21
24C 2.1GHz 150W	Intel Xeon-Gold 6252 (2.1GHz/24-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02516-L21
18C 3.1GHz 200W	Intel Xeon-Gold 6254 (3.1GHz/18-core/200W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02517-L21
16C 2.2GHz 125W	Intel Xeon-Platinum 8253 (2.2GHz/16-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02518-L21
24C 2.4GHz 165W	Intel Xeon-Platinum 8260 (2.4GHz/24-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02521-L21
24C 2.9GHz 205W	Intel Xeon-Platinum 8268 (2.9GHz/24-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02524-L21
26C 2.6GHz 205W	Intel Xeon-Platinum 8270 (2.7GHz/26-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02525-L21
28C 2.2GHz 165W	Intel Xeon-Platinum 8276 (2.2GHz/28-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02526-L21
28C 2.7GHz 205W	Intel Xeon-Platinum 8280 (2.7GHz/28-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P02527-L21
12C 3.3GHz 165W	Intel Xeon-Gold 6246 (3.3GHz/12-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P15758-L21
8C 1.9GHz 85W	Intel Xeon-Bronze 3206R (1.9GHz/8-core/85W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23547-L21
10C 2.4GHz 100W	Intel Xeon-Silver 4214R (2.4GHz/12-core/100W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23550-L21
12C 2.4GHz 100W	Intel Xeon-Silver 4214R (2.4GHz/12-core/100W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23550-L21
8C 3.2GHz 130W	Intel Xeon-Silver 4215R (3.2GHz/8-core/130W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24465-L21
20C 2.1GHz 125W	Intel Xeon-Gold 5218R (2.1GHz/20-core/125W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24466-L21
24C 2.2GHz 150W	Intel Xeon-Gold 5220R (2.2GHz/24-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P23553-L21
16C 2.9GHz 150W	Intel Xeon-Gold 6226R (2.9GHz/16-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24467-L21
26C 2.1GHz 150W	Intel Xeon-Gold 6230R (2.1GHz/26-core/150W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24468-L21



Configuration Information

Remarks	Description	SKU
28C 2.2GHz 165W	Intel Xeon-Gold 6238R (2.2GHz/28-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24469-L21
24C 2.4GHz 165W	Intel Xeon-Gold 6240R (2.4GHz/24-core/165W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24470-L21
20C 3.1GHz 205W	Intel Xeon-Gold 6242R (3.1GHz/20-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24471-L21
16C 3.4GHz 205W	Intel Xeon-Gold 6246R (3.4GHz/16-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24472-L21
24C 3.0GHz 205W	Intel Xeon-Gold 6248R (3.0GHz/24-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24473-L21
28C 2.7GHz 205W	Intel Xeon-Gold 6258R (2.7GHz/28-core/205W) FIO Processor Kit for HPE ProLiant DL380 Gen10	P24474-L21

Secondary

Remarks	Description	SKU
8C 2.1GHz 85W	Intel Xeon-Silver 4208 (2.1GHz/8-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02491-B21
10C 2.2GHz 85W	Intel Xeon-Silver 4210 (2.2GHz/10-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02492-B21
12C 2.2GHz 85W	Intel Xeon-Silver 4214 (2.2GHz/12-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02493-B21
8C 2.5GHz 85W	Intel Xeon-Silver 4215 (2.5GHz/8-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02494-B21
16C 2.1GHz 100W	Intel Xeon-Silver 4216 (2.1GHz/16-core/100W) Processor Kit for HPE ProLiant DL380 Gen10	P02495-B21
10C 2.5GHz 85W	Intel Xeon-Gold 5215 (2.5GHz/10-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P02496-B21
8C 3.0GHz 125W	Intel Xeon-Gold 5217 (3.0GHz/8-core/115W) Processor Kit for HPE ProLiant DL380 Gen10	P02497-B21
16C 2.3GHz 125W	Intel Xeon-Gold 5218 (2.3GHz/16-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02498-B21
18C 2.2GHz 125W	Intel Xeon-Gold 5220 (2.2GHz/18-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02499-B21
12C 2.7GHz 125W	Intel Xeon-Gold 6226 (2.7GHz/12-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02501-B21
20C 2.1GHz 125W	Intel Xeon-Gold 6230 (2.1GHz/20-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02502-B21
8C 3.3GHz 130W	Intel Xeon-Gold 6234 (3.3GHz/8-core/130W) Processor Kit for HPE ProLiant DL380 Gen10	P02503-B21
22C 2.1GHz 140W	Intel Xeon-Gold 6238 (2.1GHz/22-core/140W) Processor Kit for HPE ProLiant DL380 Gen10	P02504-B21
18C 2.6GHz 150W	Intel Xeon-Gold 6240 (2.6GHz/18-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02509-B21
16C 2.8GHz 150W	Intel Xeon-Gold 6242 (2.8GHz/16-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02510-B21
8C 3.7GHz 150W	Intel Xeon-Gold 6244 (3.6GHz/8-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02512-B21
20C 2.5GHz 150W	Intel Xeon-Gold 6248 (2.5GHz/20-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02514-B21
24C 2.1GHz 150W	Intel Xeon-Gold 6252 (2.1GHz/24-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P02516-B21
18C 3.1GHz 200W	Intel Xeon-Gold 6254 (3.1GHz/18-core/200W) Processor Kit for HPE ProLiant DL380 Gen10	P02517-B21



Configuration Information

Remarks	Description	SKU
16C 2.2GHz 125W	Intel Xeon-Platinum 8253 (2.2GHz/16-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P02518-B21
24C 2.4GHz 165W	Intel Xeon-Platinum 8260 (2.4GHz/24-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P02521-B21
24C 2.9GHz 205W	Intel Xeon-Platinum 8268 (2.9GHz/24-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P02524-B21
26C 2.6GHz 205W	Intel Xeon-Platinum 8270 (2.7GHz/26-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P02525-B21
28C 2.2GHz 165W	Intel Xeon-Platinum 8276 (2.2GHz/28-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P02526-B21
28C 2.7GHz 205W	Intel Xeon-Platinum 8280 (2.7GHz/28-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P02527-B21
12C 3.3GHz 165W	Intel Xeon-Gold 6246 (3.3GHz/12-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P15758-B21
8C 1.9GHz 85W	Intel Xeon-Bronze 3206R (1.9GHz/8-core/85W) Processor Kit for HPE ProLiant DL380 Gen10	P23547-B21
10C 2.4GHz 100W	Intel Xeon-Silver 4210R (2.4GHz/10-core/100W) Processor Kit for HPE ProLiant DL380 Gen10	P23549-B21
12C 2.4GHz 100W	Intel Xeon-Silver 4214R (2.4GHz/12-core/100W) Processor Kit for HPE ProLiant DL380 Gen10	P23550-B21
8C 3.2GHz 130W	Intel Xeon-Silver 4215R (3.2GHz/8-core/130W) Processor Kit for HPE ProLiant DL380 Gen10	P24465-B21
20C 2.1GHz 125W	Intel Xeon-Gold 5218R (2.1GHz/20-core/125W) Processor Kit for HPE ProLiant DL380 Gen10	P24466-B21
24C 2.2GHz 150W	Intel Xeon-Gold 5220R (2.2GHz/24-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P23553-B21
16C 2.9GHz 150W	Intel Xeon-Gold 6226R (2.9GHz/16-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P24467-B21
26C 2.1GHz 150W	Intel Xeon-Gold 6230R (2.1GHz/26-core/150W) Processor Kit for HPE ProLiant DL380 Gen10	P24468-B21
28C 2.2GHz 165W	Intel Xeon-Gold 6238R (2.2GHz/28-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P24469-B21
24C 2.4GHz 165W	Intel Xeon-Gold 6240R (2.4GHz/24-core/165W) Processor Kit for HPE ProLiant DL380 Gen10	P24470-B21
20C 3.1GHz 205W	Intel Xeon-Gold 6242R (3.1GHz/20-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24471-B21
16C 3.4GHz 205W	Intel Xeon-Gold 6246R (3.4GHz/16-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24472-B21
24C 3.0GHz 205W	Intel Xeon-Gold 6248R (3.0GHz/24-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24473-B21
28C 2.7GHz 205W	Intel Xeon-Gold 6258R (2.7GHz/28-core/205W) Processor Kit for HPE ProLiant DL380 Gen10	P24474-B21

Notes: Network Choice (NC) server models must be selected for 2nd Generation Intel Xeon® Scalable “Refresh” (R) Processors for the SimpliVity 380 G and 380 H Models



Configuration Information

Memory

Action:

- Select a memory capacity for the node
- The appropriate memory and quantity will be included by the configurator
- 1 Kit required per CPU

DDR4-2933

Details	Description	SKU
8x P00920-K21	HPE SimpliVity 128GB (8x16GB) DDR4-2933 Registered Memory Kit	R4C17A
6x P00918-K21, 6xP00920-K21	HPE SimpliVity 144G(6x8/6x16) RDIMM Kit	R4C18A
12x P00920-K21	HPE SimpliVity 192GB (12x16GB) DDR4-2933 Registered Memory Kit	R4C19A
6x P00924-K21	HPE SimpliVity 192GB (6x32GB) DDR4-2933 Registered Memory Kit	R4C20A
6x P00924-K21, 6x P00918-K21	HPE SimpliVity 240GB (6x32GB/6x8GB) DDR4-2933 Registered Memory Kit	R4C21A
4x P00930-K21	HPE SimpliVity 256GB (4x64GB) DDR4-2933 Registered Smart Memory Kit	R4C22A
8x P00924-K21	HPE SimpliVity 256GB (8x32GB) DDR4-2933 Registered Memory Kit	R4C23A
6x P00924-K21, 6x P00922-K21	HPE SimpliVity 288GB (6x32GB/6x16GB) DDR4-2933 Registered Memory Kit	R4C26A
12x P00924-K21	HPE SimpliVity 384GB (12x32GB) DDR4-2933 Registered Memory Kit	R4C27A
6x P00930-K21	HPE SimpliVity 384GB (6x64GB) DDR4-2933 Registered Smart Memory Kit	R4C28A
8x P00930-K21	HPE SimpliVity 512GB (8x64GB) DDR4-2933 Registered Smart Memory Kit	R4C24A
6x P11040-K21	HPE SimpliVity 768GB (6x128GB) DDR4-2933 Load Reduced Memory Kit	R4C30A
12x P00930-K21	HPE SimpliVity 768GB (12x64GB) DDR4-2933 Registered Smart Memory Kit	R4C29A
12x P11040-K21	HPE SimpliVity 1.5TB (12x128GB) DDR4-2933 Load Reduced Memory Kit	R4C25A

Notes:

- For more information go to: <http://www.hpe.com/docs/memory-population-rules>
- DDR4-2933 Memory Kits are only supported with 2nd Generation Intel Xeon Scalable Series Processors and DDR4-2666 Memory Kits are only supported with 1st Generation Intel Xeon Scalable Series Processors

Networking

Action: One FlexLOM is required. This is in addition to the standard 4 port 1GbE LOM included in the base node

System Max	Description	SKU
1	HPE Ethernet 1Gb 4-port FLR-T BCM5719 Adapter	629135-B22
1	HPE Ethernet 1Gb 4-port FLR-T I350-T4V2 Adapter	665240-B21
1	HPE FlexFabric 10Gb 2-port FLR-T 57810S Adapter	700759-B21
1	HPE FlexFabric 10Gb 2-port FLR-SFP+ 57810S Adapter	700751-B21
1	HPE FlexFabric 10Gb 4-port FLR-T 57840S Adapter	764302-B21
1	HPE Ethernet 10/25Gb 2-port FLR-SFP28 BCM57414 Adapter	817709-B21
1	HPE Ethernet 10/25Gb 2-port FLR-SFP28 MCX4121A-ACFT Adapter	817749-B21



Configuration Information

PCI Adapter

Action: Optional PCIe Adapters can be added if slots are available. Additional PCIe slots are available in the case of dual CPU with secondary riser.

System Max	Description	SKU
5	HPE Ethernet 1Gb 4-port BASE-T BCM5719 Adapter	647594-B21
5	HPE Ethernet 1Gb 4-port BASE-T I350-T4V2 Adapter	811546-B21
5	HPE Ethernet 10Gb 2-port SFP+ 57810S Adapter	652503-B21
5	HPE Ethernet 10Gb 2-port BASE-T 57810S Adapter	656596-B21
5	HPE Ethernet 10/25Gb 2-port SFP28 QL41401-A2G Adapter	867328-B21
5	HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 Adapter	817718-B21
5	HPE Ethernet 10/25Gb 2-port SFP28 MCX4121A-ACUT Adapter	817753-B21
5	HPE Ethernet 1Gb 4-port BASE-T BCM5719 Adapter	647594-B21

Power Supplies

Action: Two power supplies are required.

Remarks	Description	SKU
	HPE 800W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	865414-B21
	HPE 800W Flex Slot Universal Hot Plug Low Halogen Power Supply Kit	865428-B21
	HPE 800W Flex Slot -48VDC Hot Plug Low Halogen Power Supply Kit	865434-B21
	HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	865438-B21
	HPE 1600W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	830272-B21

Notes:

- The power supply requirement can vary based configuration and environment. 800W Power Supply is only supported with specific configurations. Please refer to HPE Power Advisor for proper power sizing. https://support.hpe.com/hpsc/doc/public/display?docId=emr_na-c01510445
- All configured nodes ship with a standard 6-foot IEC C-13/C-14 jumper cord (A0K02A). This jumper cord is also included with each standard AC power supply option kit. If a different power cord is required, please check the ProLiant Power Cables web page. <https://h20195.www2.hpe.com/v2/getpdf.aspx/4AA6-6836ENW.pdf>

Optional Fibre Channel HBA cards

Action: Optional FC HBAs may be added if slots are available

System Max	Description	SKU
5	HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter	P9D94A
5	HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter	P9M76A

Notes:

- Additional network cables and transceivers are available in the Aruba and DataCenter Networking menus.
- Information on interoperability between network adapters, transceivers, and cables is available in network adapter QuickSpecs

Additional Server Options

Action: Two power supplies are required.

Remarks	Description	SKU
	HPE DL3XX Gen10 Rear Serial Cable and Enablement Kit	873770-B21
	HPE 2U Large Form Factor Ball Bearing Rail Kit	720864-B21
	HPE 2U Cable Management Arm for Ball Bearing Rail Kit	720865-B21
	HPE 2U Large Form Factor Easy Install Rail Kit	733662-B21
	HPE 2U Cable Management Arm for Easy Install Rail Kit	733664-B21



Configuration Information

Storage

HPE SimpliVity 380 H uses a hybrid storage configuration containing one kit of SSDs and one kit of HDDs.

Action:

- Select SSD + HDD storage kit for the node
- The appropriate OmniStack software will be included by the configurator

Usable Capacity	Description	SKU
25TB	HPE SimpliVity 4x1.92TB LFF SSD Kit	R2Z04A
	HPE SimpliVity 8x4TB LFF HDD Kit	R2Z01A
20TB	HPE SimpliVity 1.92TB SATA 6G Mixed Use SFF (2.5in) 4-pack SSD	R4D38A
	HPE SimpliVity 1.2TB SAS 12G SFF (2.5in) 20-pack HDD	R4D37A

Notes:

- Usable capacity is the capacity available after RAID and system overheads have been removed, before deduplication and compression is applied

Step 3: The software license that corresponds to the node configuration will be automatically added

HPE OmniStack Software

Action: Based on the number of CPUs in the node, the appropriate software will be included by the configurator.

Remarks	Description	SKU
	HPE SimpliVity 380 H 1 Processor 25TB Software	R2Z79A
	HPE SimpliVity 380 H 2 Processors 25TB Software	R2Z80A
	HPE SimpliVity 380 H 1 Processor 20TB Software	R4D19A
	HPE SimpliVity 380 H 2 Processors 20TB Software	R4D20A

VMware Software

Action:

- A valid VMware vSphere license is required for each CPU to complete deployment.
- If an order is placed without VMware licenses, the user agrees to supply the necessary license.

Remarks	Description	SKU
	VMware vSphere Remote Office Branch Office Standard 25VM 3yr E-LTU	P9A82AAE
	VMware vSphere Remote Office Branch Office Standard 25VM 5yr E-LTU	P9A83AAE
	VMware vSphere Remote Office Branch Office Advanced 25VM 3yr E-LTU	P9A85AAE
	VMware vSphere Remote Office Branch Office Advanced 25VM 5yr E-LTU	P9A86AAE
	VMware vSphere Standard 1 Processor 3yr Software	BD711A
	VMware vSphere Standard 1 Processor 3yr E-LTU	BD711AAE
	VMware vSphere Enterprise Plus 1 Processor 3yr Software	BD715A
	VMware vSphere Enterprise Plus 1 Processor 3yr E-LTU	BD715AAE
	VMware vSphere Standard 1 Processor 5yr Software	BD512A
	VMware vSphere Standard 1 Processor 5yr E-LTU	BD512AAE
	VMware vSphere Enterprise Plus 1 Processor 5yr Software	BD514A
	VMware vSphere Enterprise Plus 1 Processor 5yr E-LTU	BD514AAE

Notes:

- The HPE SimpliVity 380 supports VMware vSphere 6.5, 6.7 and 7.0
- For VMware and HW compatibility, please see the interoperability guide [HPE SimpliVity OmniStack Interoperability Guide](#) or [HPE Support Center portal](#)
- HPE SimpliVity 380 Gen10 for VMware vSphere requires valid VMware vSphere and vCenter licenses. VMware licenses can only be removed from the order if it is confirmed that the end-customer has valid licenses in place (Enterprise License Agreement (ELA), vCloud Air Partner or unused Enterprise Purchasing Program tokens).



Configuration Information

HPE Integrated Lights Out Advanced Software (iLO Advanced)

Action: The HPE iLO Advanced license is required.

Remarks	Description	SKU
	HPE iLO Advanced 1-server License with 3yr Support on iLO Licensed Features	BD505A
	HPE iLO Advanced Flexible Quantity License with 3yr Support on iLO Licensed Features	BD506A
	HPE iLO Advanced AKA Tracking License with 3yr Support on iLO Licensed Features	BD507A
	HPE iLO Advanced Electronic License with 3yr Support on iLO Licensed Features	E6U64ABE

HPE SimpliVity 380 Gen10: Storage Expansion/CPU add-on Overview

Use the following steps to expand Storage or perform a CPU add-on for your existing SimpliVity 380 Gen10 node:

Step 1: Start with the Expansion SKU

Step 2: Add the SW license that correlates to either a storage expansion or a CPU add-on configuration

Step 3: Select the hardware options to add either the storage drive kits or additional CPU and memory

Step 4: Select service and support to perform the storage upgrade, migration, install and redeployment

Step 1: Start with the Expansion Kit SKU

Action: Select the Expansion SKU.

Remarks	Description	SKU
	HPE SimpliVity 380 Gen10 Expansion Kit	R1F85A

Step 2: If Storage expansion is needed, add the SW license from below that correlates to the desired expansion configuration

Action: Select the appropriate SW license according to the desired storage expansion configuration.

Remarks	Description	SKU
	HPE SimpliVity 380 1 Processor Small to Medium Storage Upgrade E-LTU	R1F86AAE
	HPE SimpliVity 380 2 Processors Small to Medium Storage Upgrade E-LTU	R1F88AAE
	HPE SimpliVity 380 1 Processor Medium to Large Storage Upgrade E-LTU	R1F87AAE
	HPE SimpliVity 380 2 Processors Medium to Large Storage Upgrade E-LTU	R1F89AAE

If a CPU add-on is needed, choose from the SW license below that correlates to the desired configuration for adding a second CPU

Action: Select the appropriate SW license if you would like to add a second CPU to an existing 1P SimpliVity 380 node.

Remarks	Description	SKU
	HPE SimpliVity 380 Additional Processor Extra Small Storage Upgrade E-LTU	R1F90AAE
	HPE SimpliVity 380 Additional Processor Small Storage Upgrade E-LTU	R1F91AAE
	HPE SimpliVity 380 Additional Processor Medium Storage Upgrade E-LTU	R1F92AAE
	HPE SimpliVity 380 Additional Processor Large Storage Upgrade E-LTU	R1F93AAE
	HPE SimpliVity 380 Additional Processor Extra Large Storage Upgrade E-LTU	R1F94AAE

Step 3: Select the hardware options to add either the storage drive kits or additional CPU and memory

Action: Select the appropriate storage upgrade kits based on the desired storage expansion configuration.

Remarks	Description	SKU
	HPE SimpliVity 380 Upgrade to Medium 4000 Series Storage Kit	R1F81A
	HPE SimpliVity 380 Upgrade to Large 4000 Series Storage Kit	R1F82A
	HPE SimpliVity 380 Upgrade to Medium 6000 Series Storage Kit	R1F83A
	HPE SimpliVity 380 Upgrade to Large 6000 Series Storage Kit	R1F84A

Action: Select these storage option if upgrading from a Small to a Medium configuration

Remarks	Description	SKU
	HPE Smart Array P816i-a SR Gen10 (16 Internal Lanes/4GB Cache/SmartCache) 12G SAS Modular Controller	804338-B21
	HPE DL38X Gen10 SFF Box1/2 Cage/Backplane Kit	826691-B21



Configuration Information

Action: Select the Processor Heat Sink

Remarks	Description	SKU
	HPE DL380 Gen10 High Performance Heat Sink Kit	826706-B21

Action: Select the appropriate CPU for performing the CPU add-on to your existing 1P SimpliVity 380 nodes (from the list at the top of the quickspecs)

Step 4: Select service and support to perform the storage upgrade, migration, install and redeployment

HPE provides a full range of support offers for these products. Foundation Care NBD is the minimum level of support, but Proactive Care, Data center Care and GreenLake are also available.

Contact your local sales representative or channel partner for more details.

Installation services are required for these products. HA124A1#5ZD needs to be ordered in a quantity matching the sum of the software SKUs from Step 2.



Technical Specifications

Physical Dimensions

2U form factor: 3.44 x 26.75 x 17.54 in (8.73 x 67.94 x 44.54 cm)

End-of-life Management and Recycling

Hewlett-Packard offers end-of-life Hewlett Packard Enterprise product return, trade-in, and recycling programs in many geographic areas. For trade-in information, please go to: <http://www.hp.com/go/green>. To recycle your product, please go to: <http://www.hp.com/go/green> or contact your nearest Hewlett Packard Enterprise sales office. Products returned to Hewlett Packard Enterprise will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard Enterprise web site at: <http://www.hpe.com/recycle>. These instructions may be used by recyclers and other WEEE treatment facilities as well as Hewlett Packard Enterprise OEM customers who integrate and re-sell Hewlett Packard Enterprise equipment.



Summary of Changes

Date	Version History	Action	Description of Change
06-Jul-2021	Version 22	Changed	Configuration Information section was updated. Obsolete SKUs were removed from the QuickSpecs.
01-Mar-2021	Version 21	Changed	Overview, Standard Features, Service and Support, and Configuration Information sections were updated.
08-Sep-2020	Version 20	Changed	Configuration Information section was updated.
03-Aug-2020	Version 19	Changed	Overview and Configuration Information sections were updated. New branding applied to document.
04-May-2020	Version 18	Changed	Overview, Standard Features, and Configuration Information sections were updated.
02-Mar-2020	Version 17	Changed	Overview and Configuration Information sections were updated.
03-Feb-2020	Version 16	Changed	Overview, Standard Features and Configuration Information sections were updated.
04-Nov-2019	Version 15	Changed	Overview, Standard Features, and Configuration Information sections were updated. Added HPE SimpliVity 380 Gen10 G Model with 8x SSD drivers, added new 10TB SW Licenses and features for OmniStack Software v3.7.10
24-Oct-2019	Version 14	Added	Updated HPE SimpliVity 380 Gen10 sections
01-Jul-2019	Version 13	Changed	Overview and Configuration Information sections were updated
03-Jun-2019	Version 12	Changed	Added HPE SimpliVity 380 Gen10 G Model., Standard Features section was updated., obsolete SKUs were removed from the QuickSpecs. Service and Support section was updated.
18-Mar-2019	Version 11	Changed	Configuration Information section was updated.
		Added	SKUs added in Configuration Information: Q8A57A, Q8A58A, Q8A59A, Q8A60A, Q8A61A, Q8A62A, Q8A63A, Q8A64A, Q9J86A, Q9J87A.
		Removed	SKUs deleted in Configuration Information: Q8A57A, Q8A58A, Q8A59A, Q8A60A, Q8A61A, Q8A62A, Q8A63A, Q8A64A, Q9J86A, Q9J87A, Q8A65A, Q8A66A, Q8A67A, Q8A68A, Q8A69A, Q8A70A, Q8A71A, Q8A72A, Q9J88A, Q9J89A.
04-Mar-2019	Version 10	Changed	Overview, Standard Features, and Configuration sections were updated.
		Added	SKUs added in Configuration Information section (additional processors): 871619-L21, 869089-L21, 879423-L21, 871617-L21, 871618-L21, P00756-L21, 879424-L21, 869086-L21, 869088-L21, 871619-B21, 869089-B21, 879423-B21, 871617-B21, 871618-B21, P00756-B21, 879424-B21, 874752-B21, 873645-B21
04-Feb-2019	Version 9	Changed	Overview and Configuration Information sections were updated.
		Added	SKUs added in Configuration Information section: R1F85AAE, R1F86AAE, R1F88AAE, R1F87AAE, R1F89AAE, R1F90AAE, R1F91AAE, R1F92AAE, R1F93AAE, R1F94AAE, R1F81AAE, R1F82AAE, R1F83AAE, R1F84AAE, 804338-B21, 826691-B21, 826846-B21, 826848-B21, 826850-B21, 826852-B21, 826854-B21, 826856-B21, 826862-B21, 826866-B21, 826870-B21, 826878-B21, 826884-B21, 826888-B21, 876562-B21, 826886-B21, 826872-B21, 826860-B21, 826868-B21, 826874-B21, 869090-B21, 826890-B21, 826876-B21, 826882-B21, 826706-B21, R1Q89A, R1Q90A, R1Q91A, R1Q92A, R1Q93A, R1Q94A, R1Q95A, R1Q96A.
07-Jan-2018	Version 8	Changed	Configuration Information section was updated.
		Removed	SKUs were deleted: 871619-L21, 869089-L21, 879423-L21, 874762-L21, 871617-L21, 871618-L21.

Summary of Changes

Date	Version History	Action	Description of Change
05-Nov-2018	Version 7	Changed	Overview, and Configuration Information sections were updated.
		Added	SKUs added in Configuration Information: 764302-B21, Q0V80A.
		Removed	Obsolete SKUs were deleted in Configuration Information: J2R02A, J2R04A
07-May-2018	Version 6	Added	Standard Features and Configuration Information sections were updated.
05-Mar-2018	Version 5	Changed	Overview, Standard Features and Configuration Information sections were updated.
		Added	SKUs were added in Configuration Information section: 826872-B21, 826872-L21, 874762-B21, 874762-L21, Q9J90A, 700759-B21, 817749-B21, Q8A61A, Q8A62A, Q8A63A, Q8A64A, Q9J86A, Q9J87A, Q8A69A, Q8A70A, Q8A71A, Q8A72A, Q9J88A, Q9J89A.
04-Dec-2017	Version 4	Changed	Standard Features, Configuration Information, Service and Support, and Technical Specifications sections were updated.
		Added	SKUs were added in Configuration Information: 874762-L21, Q8D94A, Q5V86A, Q5V87A, Q5V88A, 811546-B21.
06-Nov-2017	Version 3	Changed	Changes made to the document
02-Oct-2017	Version 2	Changed	Changes made to the entire document
25-Sep-2017	Version 1	New	QuickSpecs created.



Copyright

Make the right purchase decision.
Contact our presales specialists.



Chat



Email



Call



Get updates



© Copyright 2021 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows NT are US registered trademarks of Microsoft Corporation. Intel is a US registered trademark of Intel Corporation. Unix is a registered trademark of The Open Group.

a00021989enw - 16060 - Worldwide - V22 - 06-July-2021